

*Decorative
Concrete Systems*

*“Doğal görünüm,
güçlü etki”*





About us

ECESURFACE is a brand specializing in decorative concrete systems, stamped concrete applications, and the production of stamped concrete materials, boasting many years of experience in the sector. Our company was founded in 1997 as Ece Beton Teknolojisi through subcontracting activities, incorporated as Ece İnşaat Baskı Beton Ltd. Şti. in 2007, and further solidified its strong position in the sector with the ECESURFACE brand in 2012.

At ECESURFACE, we manufacture stamped concrete molds, decorative concrete materials, and surface coating systems. Our products are developed to offer aesthetic appeal as well as durability, longevity, and ease of application.

Our systems have a very wide range of applications in interior and exterior spaces, for floor and wall applications, including residential projects, commercial areas, landscaping, hotels, cafes, villas, and industrial areas. With stone, brick, wood, and custom pattern options, we offer unique and aesthetic solutions for architectural projects.

ECESURFACE products and applications are carried out by expert teams and trained applicators. With our principles of quality, reliability, customer satisfaction, and sustainability, we continue to grow and add value to the sector both in Turkey and abroad.

Hakkımızda

ECESURFACE, dekoratif beton sistemleri, baskı beton uygulamaları ve baskı beton malzemeleri üretimi alanlarında uzmanlaşmış, sektörde uzun yıllara dayanan tecrübeye sahip bir markadır. Firmamızın temelleri 1997 yılında Ece Beton Teknolojisi adıyla taşeronluk faaliyetleriyle atılmış, 2007 yılında Ece İnşaat Baskı Beton Ltd. Şti. olarak kurumsallaşmış ve 2012 yılında ECESURFACE markası ile sektördeki güçlü konumunu pekiştirmiştir.

ECESURFACE olarak; baskı beton kalıpları, dekoratif beton malzemeleri ve yüzey kaplama sistemlerinin üretimini gerçekleştirmekteyiz. Ürünlerimiz estetik görünümün yanı sıra dayanıklılık, uzun ömür ve uygulama kolaylığı sunacak şekilde geliştirilmiştir.

Sistemlerimiz; iç ve dış mekânlarda, zemin ve duvar uygulamalarında, konut projeleri, ticari alanlar, peyzaj düzenlemeleri, oteller, kafeler, villalar ve endüstriyel alanlar dâhil olmak üzere çok geniş bir kullanım alanına sahiptir. Taş, tuğla, ahşap ve özel desen seçenekleriyle mimari projelere özgün ve estetik çözümler sunmaktayız.

ECESURFACE ürünleri ve uygulamaları, alanında uzman ekipler ve eğitimli uygulayıcılar tarafından gerçekleştirilmektedir. Kalite, güven, müşteri memnuniyeti ve sürdürülebilirlik ilkeleriyle hem Türkiye’de hem de yurt dışında büyümeye ve sektöre değer katmaya devam ediyoruz.

Esthetics & Quality

When applied by trained installers, the proven technology of Ece Surface products enables the creation of wide variety of designs and textures to provide the end user with a custom application.

- ◆ It can be applied on variety of insulation products including various grades of polystyrene and insulation boards.
- ◆ Durable, as permanent as the subsurface applied upon.
- ◆ UV resistant colors.
- ◆ Water repellent qualities makes it possible to be applied in difficult locations.
- ◆ Test proven fire resistant qualities.
- ◆ One piece application with no joints. Does not create a habitat for weeds and insects.
- ◆ Antibacterial.
- ◆ Breathable. Excellent insulation qualities. Effective in controlling moisture related problems.
- ◆ Can be applied on almost any surface including concrete, brick, tiles, polystyrene, OSB, gypsum board, etc.
- ◆ Does not separate, fall or break when applied properly.
- ◆ Lightweight material can be applied on high structures without any limits.
- ◆ Freeze thaw resistant and suitable for extreme climates both hot and cold.



Kalite & Estetik

Ece Surface tek komponentli, çimento esaslı polipropilen elyaf takviyeli, esnek, kolay uygulanabilir, sağlıklı, dekoratif taş ve benzeri modellemelerin uygulanması için tasarlanmış, duvar ve zemin kaplama sistemidir.

- ◆ Bina izolasyonunda kullanılan tüm EPS ve XPS cephe mantolama sistemleri ile birlikte kullanılabilir.
- ◆ Dayanıklısıdır, uygulandığı yüzeyin ömrü kadar kalıcıdır.
- ◆ Renklerin UV dayanımları çok yüksektir.
- ◆ Su itici özelliği ile yağmur ve drenaj sularından etkilenmez.
- ◆ Ateşe dayanıklı, yangına karşı güvenlidir (Duvar Sistemi A-1 sınıfı).
- ◆ Yekpare özelliği ile haşere ve bitkiye yaşam alanı bırakmaz, ek yer yoktur.
- ◆ Antibakteriyeldir.
- ◆ Nefes alabilir, ısı yalıtıma katkı sağlar. Rutubet oluşumunun engellenmesinde etkilidir.
- ◆ Beton, plaka, sıva, sırsız seramik bir çok farklı yüzeyde uygulanabilir.
- ◆ Uygulama kurallarına uyulduğu takdirde ayrılmaz, kopmaz ve düşmez.
- ◆ Hafif beton sınıfındadır, yüksek katlı binalara ölü yük etkisi limitlidir (1.260 kg/m³).
- ◆ Donma çözülme ve yoğun hava şartlarına karşı dayanıklıdır.



Indoors and outdoors, Ece Surface applications can be done with little or no preparations. Even in tight spaces, a new look can be achieved with overlays as little as 1 or 2 centimeters thick . For special designs material can be applied up to 10 centimeters at one time.



İç ve dış mekanlardaki tüm uygulamalar, Ece Surface ile çok daha kolaydır. Mevcut yüzeyde gereken basit ön hazırlıklardan sonra modelleme için kullanılacak kalıba göre; duvar uygulamalarında 1 ile 2 cm kalınlığında, zeminlerde ise sadece 10 cm uygulama kalınlığı ile önemli ölçüde kot farkı yaratmadan, dar alanlarda dahi rahatlıkla uygulanabilen bir sistemdir.



On floor applications, the Ece Surface overlay can be applied directly on any stable surface as long as: the surface is sound and free of coating. Glossy or Matt finishes or non slip qualities can be achieved by an application of the desired protective sealant.

Zemin Uygulamalarında; yüzeyin sağlam olması koşuluyla, mevcut yüzeye müdahale etmeden, beton, sırsız seramik, vb. yüzeylerin üzerine doğrudan uygulanabilir. Tercih edilen verniğin özelliğine bağlı olarak, mat ya da parlak görünüm elde edilebilir. Islak zemin uygulamalarında dilerirse kaydırmazlık özelliği de sağlanabilmektedir.



Ece Surface is designed to be used anywhere in the World regardless of climate or extreme environmental factors.


With **Ece Surface**, custom designs can be realized on buildings, walkways parks, restaurants, swimming pools, retaining & garden walls and landscaping applications.

Teknik özellikleri ve dayanıklılığı sayesinde, soğuk , sıcak ve nemli hava koşullarında dahi uygulanabilmektedir.

Yüksek rakımlı yerleşim yerleri ya da denize sıfır sahil bölgelerinde de güvenle uygulanan bir sistemdir.

Ece Surface, duvarlarda ve zeminlerde, peyzaj uygulamalarında, bahçe duvarları, havuz kenarları, şelaleler, süs havuzları, istinat duvarları, yürüme yolları, mimari tercihlere en uygun " özgün " tasarımların kolaylıkla geçirilmesine olanak sağlar.





Ece Surface is very suitable for one of a kind and unique applications. It is also a perfect choice for designers who want to use these products in hotels, restaurants, clubs, shops and other such businesses. Imagination is the only limiting factor of Ece Surface applications.

Ece Surface özel tasarımlara uygun bir sistem olması nedeniyle; otel, kafeterya, restoran, bar, mağaza vb. bir çok işyerinin dekorasyon uygulamalarında da tercih edilmektedir. Tasarımcıların hayallerini gerçekleştirmelerinde çok önemli bir çözüm sistemidir. Ece Surface sizi sadece hayalleriniz ile sınırlar.



- ◆ Application of Primer 100 on the surface ensures a durable installation.
- ◆ Following the application of the Wall mix, polyurethane stamps are used to imprint the desired texture and design on the surface.
- ◆ Once the material is dry enough coloring process takes place to achieve the desired colors.
- ◆ Final step is the application of the protective sealer.

- ◆ Mevcut yüzey üzerine sürülen P100, Ece Surface uygulamalarının, yüzeyde kalıcı aderans sağlaması için tasarlanmıştır.
- ◆ Sıvama işlemi sonrasında, özel olarak tasarlanmış olan poliüretan kalıplar yardımıyla, yüzeye istenen doku ve desen verilir.
- ◆ Yüzey kuruyunca, sünger ve fırça yardımıyla, sistemin kendine özgü renklendirme metodu uygulanır.
- ◆ Son kat “su itici ve koruyucu” özelliği olan vernik uygulaması ile çalışma sonlandırılır.

Wall System Patterns / Duvar Baskı Desenleri



Wall Single Stone Stamp

- HAND CARVED -
Set 5 Pcs (29x27cm
/30x34cm/41x35cm/35x30cm/28x30cm)
No. IT001 (2 cm)



Orchard Stone Stamp

Set of 4 Pcs (80 x 32 cm / 4 pcs)
No. IT002 (2 cm)



Wall Texture Stamp

- HAND CARVED -
Set of 3 Pcs
(50x32cm/35x43cm/43x45 cm)
No. IT003 (1 cm)



Deep Texture Dry Stack Stamp

Set 4 Pcs (37x49 cm / 4 pcs)
No.IT004 (2 cm) / (1cm option available)



Southern Ledge Stone Stamp

Set of 3 Pcs (79x40 cm / 3 pcs)
No.IT005 (2 cm)



Mountain Dry Stack Stamp

Set of 5 Pcs (48x31cm/3pcs-9x29cm/2pcs)
No.IT006 (2 cm)



Joint Texture Stripe 120 cm



Used Brick Stamp

1 piece (43 x 86 cm)
No.IT008 (1 cm)



Old Cobble Stone Stamp

1 Piece (111 x 50 cm)
No.IT009 (1 cm)

Wall System Patterns / Duvar Baskı Desenleri



Rustic Stone Stamp

Set of 4 (83x30cm/2pcs - 46x33cm/2pcs)
No.IT013 (1 cm)



Troy Stone Stamp

Set of 5 (40x50cm/3pcs-10x10cm/2pcs)
No.IT011 (1 cm)



Random Stone Wall Stamp

Set of 3(48x48 cm/3pcs)
No.IT012 (2 cm)



Cobble Stone Stamp

Set of 2 (52x27 cm / 2 pcs)
No.IT016 (1,5 cm)



Mediterranean Stack Stamp

Set of 5-(39x48 cm/3pcs-20x48 cm/2pcs)
No.IT017 (1,5 cm)



Shallow Dry Stack Stamp

Set of 3 (49x31 cm / 3 pcs)
No.IT018 (1,5 cm)



Super Stack Stamp

1 piece (50x30 cm) No.IT019 (1cm)



Cut Lime Stone Stamp

Set of 4 (70x40cm) No.IT020 (2 cm)



Vineyard Stone Stamp

Set of 3 (27x60 cm/3pcs) No.IT021 (2 cm)

Wall System Patterns / Duvar Baskı Desenleri



Master Fit Stack Stone

Set of 3 (37x36 cm/3 pcs)
No.IT 022 (1,5 cm)




Castle Stone Stamp

Set of 6 (58x35cm/3pcs-15x23-8x14-29x14
cm) No.IT023 (1,5cm)



Various Stone Textures

Set of 3 No.IT 024 (1 cm)



Bark Texture Skins with knots

Set of 5 No. IT 025 (1cm)



Ingush Stone Stamp

Set of 2
NO.IT 0026 (1 cm)



Wall Field Stone Stamp

Set of 3 NO.IT 0027 (1 cm)



Small Orchard Stone Stamp

Set of 3 (40x70cm) IT 028
(2cm)



Alacati Stone Stamp

Set of 5 IT 029 (1 cm)

Texture Rollers / Doku Rulo Modelleri



FCMR2



FCMR3



FCMR4



FCMR5



FCMR6



FCMR7



FCMR8



FCMR9



FCMR10



FCMR11



FCMR12



FCMR13

COLOR HARDENER - LIQUID COLORS
RENKLİ YÜZEY SERTLEŞTİRİCİ - LİKİT RENKLENDİRİCİLER



MESABUFF



SANDSTONE



HARVEST GOLD



TERRA COTTA




BAJA RED



BRICK RED



PEWTER



COBBLESTONE



GRAPHITE



FLAGSTONE BROWN



KAHLUA



MOCHA



GREEN SLATE




MESQUITE




RUST



WHITE



SABAL



LIGHT CREAM



CREAM



COOL WHITE

POWDER RELEASE AGENT COLORS / TOZ KALIP AYIRICI RENKLERİ




MESABUFF



SANDSTONE



BRICK RED



PEWTER



GRAPHITE




FLAGSTONE BROWN




KAHLUA



COBBLE STONE




MESQUITE



NATURAL



TERRA COTTA



MOCHA



STAMPED CONCRETE PATTERNS / BASKI BETON MODELLERİ

ECE**SURFACE**[®]
YAPI KİMYASALLARI



GARDEN STONE (106 cm x 106 cm) (No.ECE-001)



PALLADIAN SLATE STONE (91 cm x 91 cm) (No.ECE-002)

ECE**SURFACE**[®]
YAPI KİMYASALLARI



EUROPEAN FAN STONE (66 cm x 117 cm) (No.ECE-003)



BOARDWALK - 3 (208 cm x 46 cm) (No.ECE-004)

ECE**SURFACE**[®]
YAPI KİMYASALLARI



BOARDWALK - 5 (180 cm x 75 cm) (No.ECE-005)



BORDER STAMP (22 cm x 81 cm) (No.ECE-006)

STAMPED CONCRETE PATTERNS / BASKI BETON MODELLERİ

ECESURFACE®
YAPI KİMYASALLARI




ASHLAR STONE STAMP (61 cm x 61 cm) (No.ECE-007) A & B



RANDOM BLUE STONE STAMP (74x74 cm)(No.ECE-008) A&B&C

ECESURFACE®
YAPI KİMYASALLARI



HERRINGBONE STAMP (81 cm x 91 cm) (No. ECE-009)



LONDON COBBLE STAMP (43 cm x 76 cm) (No. ECE-010)

ECESURFACE®
YAPI KİMYASALLARI



OLD ENGLISH STAMP (43 cm x 86 cm) (No.ECE-011)




WESTERN ASHLAR STAMP (61 cm x 61 cm) (No.ECE-012)

STAMPED CONCRETE PATTERNS / BASKI BETON MODELLERİ

ECESURFACE®
YAPI KİMYASALLARI




LARGE BUSHED STONE BORDER (30 cm x 122 cm) (No.ECE-013)



PEBBLE STONE STAMP (81 cm x 81 cm) (No.ECE-014)

ECESURFACE®
YAPI KİMYASALLARI




RIVER STONE STAMP (70 cm x 70 cm) (No.ECE-015)



EDGE STONE STAMP (84 cm x 84 cm) (No.ECE 016)

ECESURFACE®
YAPI KİMYASALLARI



CIRCLE STONE STAMP (No.ECE-017)



ASHLAR SLATE STAMP (61 cm x 61 cm) (No.ECE-018) A & B & C

STAMPED CONCRETE PATTERNS / BASKI BETON MODELLERİ

ECE**SURFACE**[®]
YAPI KİMYASALLARI



ORCHARD SLATESTAMP (134cmx119cm)(No.ECE-019) A & B & C



DIAMOND TILE STAMP (46 cm x 92 cm) (No.ECE-020)

ECE**SURFACE**[®]
YAPI KİMYASALLARI



WOOD PLANK STAMP (No.ECE-021)



SOLDIER COARSE BORDER STAMP (No.ECE-022)

ECE**SURFACE**[®]
YAPI KİMYASALLARI



ENGLAND BASKET WAVE (60 cm x 90 cm) (No.ECE-023)



TRANCUATED DOME MAT (60 cm x 60 cm) (No.ECE-024)

STAMPED CONCRETE PATTERNS / BASKI BETON MODELLERİ

ECE**SURFACE**[®]
YAPI KİMYASALLARI



GROOVED MAT (40 cm x 80 cm) (No.ECE-025)




BLUE STONE STAMP (46 cm x 92 cm) (No.ECE-026) A & B & C

ECE**SURFACE**[®]
YAPI KİMYASALLARI




BRICK RUNNING BOND (81,5 cm x 51 cm) (No.ECE-027)



LISBON GRANITE (84 cm x 64 cm) (No. ECE-028)

ECE**SURFACE**[®]
YAPI KİMYASALLARI



OLD HERRINGBONE BRICKSTAMP (74 cm x 108 cm) (No.ECE 029)



LARGE COBBLE (61 cm x 130 cm) (No.ECE-030) A & B

STAMPED CONCRETE PATTERNS / BASKI BETON MODELLERİ

ECESURFACE®
YAPI KİMYASALLARI



SANTA BARBARATILE (78 cm x 78 cm) (E No.CE-031)



FIELD STONE STAMP (50 cm x 76 cm) (No. ECE-032)

ECESURFACE®
YAPI KİMYASALLARI



TILE BLUE STONE STAMP (60 cm x 90 cm) (No.ECE-033)



SAND STONE STAMP (90 cm x 90 cm) (No.ECE-034)

ECESURFACE®
YAPI KİMYASALLARI



3 D CUBIC STONE STAMP (105 cm x 43 cm) (No.ECE-035)



WALK WAY STAMP (45,5 cm x 91 cm) (No.ECE-036)

STAMPED CONCRETE PATTERNS / BASKI BETON MODELLERİ

ECE**SURFACE**[®]
YAPI KİMYASALLARI



COMPASS STAMP (120 cm x 120 cm) (No.ECE-037)



"2 ROW" STONE BORDER STAMP
(23,5 cm x 79 cm) (No.ECE-038)

Regular (Normal) / Floppy (Esnek)

ECE**SURFACE**[®]
YAPI KİMYASALLARI



BIG 3D STAMP (120 cm x 91,5cm) (No.ECE-039)



10CM COBBLE STONE (60 cm x 60 cm) (No.ECE-040)

ECE**SURFACE**[®]
YAPI KİMYASALLARI



OLD WOOD STAMP (139,5 cm x 40,5 cm) A & B (No.ECE-041)



ENGLISH ASHLAR (91 cm x 91 cm) A & B (No.ECE-042)

STAMPED CONCRETE PATTERNS / BASKI BETON MODELLERİ

ECE**SURFACE**[®]
YAPI KİMYASALLARI



LARGE ASHLAR (91 cm x 91 cm) A & B (No.ECE-043)



FLAT WALKWAY STONES STAMP (91 cm x 90 cm) (No.ECE-044)

ECE**SURFACE**[®]
YAPI KİMYASALLARI



RAMP STAMP (120 cm x 70 cm) (No.ECE-045)



PAVING STONES STAMP (91 cm x 47 cm) (No.ECE 046)

ECE**SURFACE**[®]
YAPI KİMYASALLARI



ROMAN BORDER STAMP (45 cm x 24 cm) (No.ECE-047)



OCTAGON STONE STAMP (101 cm x 50,5 cm) (No.ECE-048)

STAMPED CONCRETE PATTERNS / BASKI BETON MODELLERİ

ECESURFACE®
YAPI KİMYASALLARI




DOUBLE FAN STAMP (115 cm x 49,5 cm) (No.ECE 049)



DEEP TEXTURE RANDOM STONE STAMP (87 cm x 87 cm) (No.ECE 050)

ECESURFACE®
YAPI KİMYASALLARI



3D NEW STYLE STAMP (124 x 90 cm) (No.ECE-051)



VERONA STONE STAMP (125 x 70 cm) (No.ECE-052)

ECESURFACE®
YAPI KİMYASALLARI



FRAMED TILE STONE STAMP (80 x 40 cm) (No.ECE-053)



MADALLION STAMP (R: 80 cm) (No.ECE-054)

STAMPED CONCRETE PATTERNS / BASKI BETON MODELLERİ

ECE**SURFACE**[®]
YAPI KİMYASALLARI



CUBIC COBBLESTONE STAMP (79 x 46 cm) (No.ECE-055)




EDINBURGH COBBLESTONE STAMP (84 x 60 cm) (No.ECE-56)

ECE**SURFACE**[®]
YAPI KİMYASALLARI




SMALL COMPASS STAMP (80 cm) (No.ECE-057)



LARGE TILE STAMP (120 cm x 58 cm) (No.ECE-058)

ECE**SURFACE**[®]
YAPI KİMYASALLARI



STARS & DIAMONDS (97 cm x 40 cm) (No.ECE-059)



SERPENTINE STAMP (127 cm x 66 cm) (No.ECE-060)

STAMPED CONCRETE PATTERNS / BASKI BETON MODELLERİ

ECE**SURFACE**[®]
YAPI KİMYASALLARI



CASTLE STONE STAMP (120 cm x 120 cm) (No.ECE-061)



RANDOM BORDER STONE (30 cm x 110 cm) (No.ECE-062)

ECE**SURFACE**[®]
YAPI KİMYASALLARI



TILE BORDER STAMP (20 cm x 100 cm) (No.ECE-063)



TILE BORDER STAMP (30 cm x 100 cm) (No. ECE-064)

ECE**SURFACE**[®]
YAPI KİMYASALLARI



SQUARE FRAME WOOD (75 cm x 75 cm) (No.ECE-065)



SLATE TILES (70x70 cm – 35x35cm) (No.ECE-066)

KÜLTÜR TUĞLA NEDİR?

Kültür tuğla; doğal tuğla görünümünü modern üretim teknolojileriyle birleştiren, dekoratif amaçlı kullanılan özel bir kaplama ürünüdür. İç ve dış mekânlarda estetik, sıcak ve prestijli bir görünüm sağlar. Hafif yapısı sayesinde binaya yük bindirmez, uygulaması pratiktir.

ECESURFACE KÜLTÜR TUĞLA - DOĞALLIĞIN ESTETİĞİ

ECESURFACE kültür tuğlaları; dayanıklılığı, renk kalıcılığı ve doğal dokusuyla yaşam alanlarınıza karakter kazandırır. Kafe, restoran, villa, ofis, mağaza, otel ve konut projelerinde mimarların ve uygulamacıların tercihidir.

ÜRÜN ÖZELLİKLERİ

- Doğal tuğla görünümü
- İç ve dış mekân kullanımı
- Isı ve ses yalıtımına katkı sağlar
- Nem ve dona karşı dayanıklı
- Renk solmasına karşı UV dayanımı
- Hafif yapı - binaya yük bindirmez
- Kolay uygulama
- Uzun ömürlü kullanım



KULLANIM ALANLARI

- Villa ve konut projeleri
- Kafe & restoran dekorasyonu
- Oteller ve sosyal alanlar
- Mağaza ve showroomlar
- TV arkası dekoratif duvarlar
- Ofis ve çalışma alanları
- Bahçe duvarları ve dış cepheler



NEDEN ECESURFACE KÜLTÜR TUĞLA?

1997'den gelen sektör tecrübemizle ürettiğimiz kültür tuğlalar; kalite, estetik ve dayanıklılığı bir arada sunar. Her projeye özel üretim, geniş renk seçeneği ve teknik destek avantajı sağlar.



30x120 cm Bull Float Set

HT 001 Knuckle Head Bracket+ HT 004 (x2) Alum Handle + HT 005 Big D Fresno



HT 002 Pool Trowel

Lenght : 45 cm Width: 12 cm
Material: Steel, Plastic Handle



HT 006 Stainless Steel Hand Sidewalk Edger

Length 8 in. (20.32 cm) - Width 4 in. (10.16 cm) - Thickness 0.06 in. (0.1524 cm) - Radius 1/2 in. (1.270 cm) - Lip 5/8 in. (1.58750 cm)
Material: Stainless Steel Blade, Steel Mounting, Wood Handle



HT 007 Extruded Magnesium Hand Float

Length 16 in. (40.64 cm) - Width 3.25 in. (8.2550 cm) - Material Magnesium Blade; Wood Handle.



HT 008 Big Bit Hand Groover

Length 6 in. (15.24 cm) - Width 4.5 in. (11.430 cm) - Radius 3/8 in. (0.95250 cm) - Bit Depth 3/4 in. (1.9050 cm) - Bit Width 7/8 in. (2.22250 cm) - Material 100% Bronze



HT 009 Decorative Concrete Border Hand Groover

Length 6 in. (15.24 cm) - Width 6 in. (15.24 cm) - Thickness 0.12 in. (0.3048 cm)
Radius 1-1/2 in. (3.810 cm) - Bit Depth 1-3/4 in. (4.4450 cm)



HT 010 Hand Edger with Adjustable Groover

Lenght: 5 in. (12.70 cm) - Width 12 in. (30.48 cm) - Radius 1/2 in. (1.270 cm)
Bit Depth 3/4 in. (1.9050 cm)-Lip 5/8 in. (1.58750 cm) - Blade Lengt 5 in. (12.70 cm)



Tamper / Pounder

Lenght 120 cm, 25x25 cm Weight : 7,5 kg

*“Doğal görünüm,
güçlü etki”*



ECESURFACE®
YAPI KİMYASALLARI

Merkez: Cevizli Mah. Yeşil Sk. Şaman San. Sit. No:14/D Maltepe, İstanbul
Fabrika: Beşevler, İzmit Cad. Çiftlik Sk., No: 1-37 Serdivan 54050 Sakarya

✉ info@eceinsaatbaskibeton.com.tr

☎ 0850 303 24 95 - 0533 714 93 06 ☎ +90 532 273 87 80

www.ecebaskibeton.com | www.baskibetonlar.com.tr